ULTRATHIN MAGNETIC TRACK LIGHT SYSTEM



OLEDER

SMART LIGHT SYSTEM

CENTRALIZED CONTROL

3000K 6000K
100% 0%



tuya 涂鸦智能 WIFI

Wifi Router



APP Control

Remote Control

2.4 GHZ 2.4G SYSTEM



APP Control

Remote Control

works with alexa
works with Hey Google





APP Control

Remote Control

Brief Introduction

•Thickness:5mm,apply a magnet system without suspended ceiling;

•Can be cut at any length,satisfy various design;

•Easy installation,bracket and body lock model;

•PC body with smoothly move,good insulation;



ULTRATHIN MAGNETIC TRACK

- Item No.: OLEO1
- Color: White Black
- Input Voltage: DC48V
- Material: PC &Iron &Copper
- Dimension: 30*5mm

- Length:
  - ① 1000mm
  - ② 2000mm
  - ③ 3000mm





White



Black

Straight Connect Module



- Model No.: OLEO Straight Connect Module
- Color: White Black
- Material: PVC&COPPER
- Dimension: 30*30*5mm



● Insert the copper pin of the module in the track under the copper bar



Cross Connect Module

- Model No.: OLEO Cross Connect Module
- Color: White Black
- Material: PC&COPPER
- Dimension: 30*30*5mm



● Insert the copper pin of the module in the track under the copper bar



❶ L Connection





❷ T Connection





❸ Cross Connection





In&Out Connect Module

- Model No.: OLEO Cross Connect Module
- Color: White Black
- Material: PC&COPPER
- Dimension: 30*25*25mm





Power Supply 200W&100W

Easy replace

- Model No.: OLEO1-SP200W / SP100W
- Color: White Black
- Input Voltage: 190-245Vac
- Output Voltage: DC48V
- Output Current: 2.1A 4.2A
- Dimension: 32*31*352mm 32*31*282mm

CEILING



LIGHT MODULES





Diffused Model

Basic light

- Model No.: OLEO1-DF300
- Color: White Black
- Input Voltage: DC48V
- Wattage: 12W
- Beam Angle: 105°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 300*32*11mm





Diffused Model

Basic light

- Model No.: OLEO1-DF600
- Color: White Black
- Input Voltage: DC48V
- Wattage: 24W
- Beam Angle: 105°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 600*32*11mm





Grille Model

Anti-glare Focus light



- Model No.: OLEO1-LB24
- Color: White Black
- Input Voltage: 48V
- Wattage: 10W
- Beam Angle: 30°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 240*32*20mm



Grille Model

Anti-glare Focus light

- Model No.: OLEO1-LB48
- Color: White Black
- Input Voltage: 48V
- Wattage: 20W
- Beam Angle: 30°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 468*32*20mm





Round Downlight

Anti-glare Focus light

- Model No.: OLEO1-DR54
- Color: White Black
- Input Voltage: 48V
- Wattage: 8W
- Beam Angle: 24°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 54*75mm



Square Downlight

Anti-glare Focus light

- Model No.: OLEO1-DS54
- Color: White Black
- Input Voltage: 48V
- Wattage: 8W
- Beam Angle: 24°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 55*55*75m



Folded Grille light

Anti-glare Focus light

- Model No.: OLEO1-FD5
- Color: White Black
- Input Voltage: 48V
- Wattage: 10W
- Beam Angle: 30°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 140*35*105mm



Folded Grille light

Anti-glare Focus light

- Model No.: OLEO1-FD10
- Color: White Black
- Input Voltage: 48V
- Wattage: 20W
- Beam Angle: 30°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 270*35*105mm



Folded Grille light

Rotable Diffused light

- Model No.: OLEO1-D10D
- Color: White Black
- Input Voltage: 48V
- Wattage: 12W
- Beam Angle: 105°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 270*30*105mm



Track light

Anti-glare Focus light

- Model No.: OLEO1-TL7
- Color: White Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 24°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 36*90*145mm



- Model No.: OLEO1-TL12
- Color: White Black
- Input Voltage: 48V
- Wattage: 12W
- Beam Angle: 24°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 48*150*205mm



Track light-Focus Ajustable

Anti-glare Focus light

- Model No.: OLEO1-TL7/FA
- Color: White Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 10-60°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 43*125*185mm



Track light-Shell

Anti-glare Focus light

- Model No.: OLEO1-TS7
- Color: White Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 24°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 105*120mm



Track light-Pearl

- Model No.: OLEO1-TP7
- Color: White Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 270°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 120*180mm



Track light-Moon Stone

- Model No.: OLEO1-TM7
- Color: White Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 100°
- CCT: 3000K 4000K
- Ra: >90
- Dimension: ø85*50*120mm



Track light-Moon Stone/L

Anti-glare Focus light

- Model No.: OLE01-L7
- Color: White Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 24°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø85*35*105mm



Rotatable Round Spotlight

Anti-glare Focus light

- Model No.: OLEO1-DR54R
- Color: White Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 24°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 54*63*98mm



Elfin Spotlight

Anti-glare Focus light

- Model No.: OLEO1-SP1
- Color: White Black
- Input Voltage: 48V
- Wattage: 6W
- Beam Angle: 30°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 48*35*60mm



Elfin Arc light

Decorated light

- Model No.: OLEO1-SA1
- Color: White Black
- Input Voltage: 48V
- Wattage: 4W
- Beam Angle: 160°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: 48*35*60mm



FLEXIBLE TUBE MODULE

- Model No.: OLEO1-FT500, FT1000, FT1500
- Color: White Black
- Input Voltage: 48V
- Wattage: ❶ 8W ❷ 16W ❸24W
- Beam Angle: 360°
- CCT: 3000K 4000K 6000K
- Ra: >80
- Dimension: ❶ ø 22*500mm
  ❷ ø 22*1000mm
  ❸ ø 22*1500mm

HANGING LIGHT MODULE

- Model No.: OLEO1-HS7W
- Color: White Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 160°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 62*90mm



HANGING LIGHT MODULE

- Model No.: OLEO1-HC7W
- Color: White Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 160°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 72*110mm



HANGING LIGHT MODULE

- Model No.: OLEO1-HZ7W
- Color: White Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 24°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 90*78mm



HANGING LIGHT MODULE

- Model No.: OLEO1-HR7W
- Color: White Black
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 270°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø120*166mm



HANGING LIGHT MODULE



- Model No.: OLE01-PD006
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 30°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 69*160mm

- Model No.: OLE01-PD007
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 30°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 82*80mm

- Model No.: OLE01-PD008
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 160°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 90*75mm

- Model No.: OLE01-PD009
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 270°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 95*120mm



- Model No.: OLE01-PD010
- Input Voltage: 48V
- Wattage: 7W
- Beam Angle: 30°
- CCT: 3000K 4000K 5000K
- Ra: >90
- Dimension: ø 60*105mm